

CERTIFICATE



The **European Certification Body GmbH** accredited
according to ISO/IEC 17065 awards to

Promet Safe, Ltd.
60 Rozova Dolina St., 6100 Kazanlak / BG

the right to carry the **ECB•S** certification mark for

Light fire storage units of protection level LFS 30 P according to EN 15659:2009 and ECB•S C10
(Series Fort M - LFS30P – Types DOL130 FIRE, DO100 FIRE, DO130 FIRE, DO160 FIRE, DO50 FIRE, DO60 FIRE, DO65 FIRE,
Imperial 100, 50, 60, 67, 80, 99, 1068, 1285, 1368, 1385, 1566, 1585, 1668 and 1685)
(see Annex)

Certificate Number
0906/LFS15-02C

4 March 2019

valid from

28 February 2019

Frankfurt am Main

3 March 2023

valid until


Dr. Markus Heering

Certification Body



European Certification Body GmbH
Lyoner Straße 18 • 60528 Frankfurt am Main • Germany
www.ecb-s.com

ECB•S

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Fort M - LFS30P)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|--|-----------------------|------------|-----------------|
| General drawings | | | |
| Lock list Safe Grade III | --- | 28.08.2018 | 2 |
| Concrete composition | F2 | 12.11.2015 | 1 |
| Material list for tests and expert opinions | --- | 03.08.2016 | 5 |
| Technical documentation according to ECB•S certificate | 0906/SA13-03F | 05.02.2018 | --- |
| Fort M 50 / DO50 FIRE | | | |
| Safe Fort M 50 grade III fire resistant | 05454 | 12.02.2019 | 1 |
| Body with fire resistant insert | 05454.01 | 10.11.2018 | 1 |
| Fort M 60 / DO60 FIRE | | | |
| Safe Fort M 60 grade III fire resistant | 05469 | 12.02.2019 | 1 |
| Body with fire resistant insert | 05469.01 | 10.11.2018 | 1 |
| Fort M 67 / DO65 FIRE | | | |
| Safe Fort M 67 grade III fire resistant | 05470 | 12.02.2019 | 1 |
| Body with fire resistant insert | 05470.01 | 10.11.2018 | 1 |
| Fort M 80 | | | |
| Safe Fort M 80 grade III fire resistant | 05471 | 12.02.2019 | 1 |
| Body with fire resistant insert | 05471.01 | 10.11.2018 | 1 |

continued on page 2

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Fort M - LFS30P)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|--|-----------------------|------------|----------------------------|
| Fort M 99 / Imperial 100 | | | |
| Safe Fort M 99 grade III fire resistant | 05472 | 12.02.2019 | 1 |
| Body with fire resistant insert | 05472.01 | 10.11.2018 | 1 |
| Fort M 1068 / DO100 FIRE | | | |
| Safe Fort M 1068 grade III fire resistant | 05473 | 12.02.2019 | 1 |
| Body with fire resistant insert | 05473.01 | 10.11.2018 | 1 |
| Fort M 1285 | | | |
| Safe Fort M 1285 grade III fire resistant | 05475 | 12.02.2019 | 1 |
| Body with fire resistant insert | 05475.01 | 10.11.2018 | 1 |
| Fire resistant insert | 05475.02 | 01.12.2018 | 1 |
| Fort M 1368 / DO130 FIRE | | | |
| Safe Fort M 1368 grade III fire resistant | 05476 | 12.02.2019 | 1 |
| Body with fire resistant insert | 05476.01 | 10.11.2018 | 1 |
| Fort M 1385 / DOL130 FIRE | | | |
| Safe Fort M 1385 grade III fire resistant | 05455 | 12.02.2019 | 1 |
| Body with fire resistant insert | 05455.01 | 10.11.2018 | 1 |
| Fire resistant insert | 05455.02 | 01.12.2018 | 1 |
| | | | <i>continued on page 3</i> |

Promet Safe, Ltd., Kazanlak / BG

SURVEY – Technical documentation (series Fort M - LFS30P)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|--|-----------------------|------------|-----------------|
| Fort M 1566 | | | |
| Safe Fort M 1566 grade III fire resistant | 05478 | 12.02.2019 | 1 |
| Body with fire resistant insert | 05478.01 | 10.11.2018 | 1 |
| Fire resistant insert | 05478.02 | 01.12.2018 | 1 |
| Fort M 1585 | | | |
| Safe Fort M 1585 grade III fire resistant | 05474 | 12.02.2019 | 1 |
| Body with fire resistant insert | 05474.01 | 10.11.2018 | 1 |
| Fort M 1668 / DO160 FIRE | | | |
| Safe Fort M 1668 grade III fire resistant | 05456 | 12.02.2019 | 1 |
| Body with fire resistant insert | 05456.01 | 10.11.2018 | 1 |
| Fort M 1685 | | | |
| Safe Fort M 1685 grade III fire resistant | 05457 | 12.02.2019 | 1 |
| Body with fire resistant insert | 05457.01 | 10.11.2018 | 1 |
| Fire resistant insert | 05457.02 | 01.12.2018 | 1 |

NOTE Only the models corresponding to the listed sizes may be marked with the ECB•S fire certification mark. The door and detail drawings of the certificate 0906/SA13-03F are also applicable for this certificate. In the event of discrepancies in the technical design the approved documentation in accordance with this certificate is applicable for light fire storage units.

To protect from fires from below it is recommended to anchor the storage units firmly on the floor.

The marking as ECB•S certified product, in compliance with this certificate, is only allowed with an original ECB•S certification mark as proof of conformity according to ISO/IEC 17065.